

When AI Finds a Needle in a Haystack and When It Invents One

by Greg Scott | Oct 25, 2026 | Cybersecurity, Technology | 0 comments



Thanks to [Jerry's Garden Center in Eagan, Minnesota](#) for letting me snap a picture of a needle in a haystack. Don't tell anyone from Jerry's, but I almost lost that needle after I set it in the hay. Fortunately for all of us, I found it again after stepping closer. That led to an unexpected insight that should serve as a cautionary lesson for anyone who wants to trust AI blindly.

Neil deGrasse Tyson recently made [a video telling a story about a friend of his son](#) to illustrate the limitations of today's AI large language models (LLMs). Tyson said that AI models often confidently offer the wrong answer because they mimic statistically common data online rather than actually understanding anything. He reminded us that if the internet contains an overwhelming volume of incomplete or poorly phrased facts, LLMs will confidently repeat them.

Meanwhile, tech executives like Microsoft co-founder Bill Gates, Anthropic co-founder Dario Amodei, OpenAI CEO Sam Altman, and others warn us that future AI versions could

bring on the destruction of human kind if we don't slow down. Cue the Terminator music.

I'm no philosopher, astrophysicist, or tech exec, but I've accumulated some experience with today's public LLMs. If my experience is typical, then when naive CEOs try to replace their workforce with LLMs, they will fail. Here are four first-hand stories, followed by some conclusions. Leave comments with your thoughts.

- [Needle in a Haystack as a Metaphor](#)
- [Publisher and PowerPoint](#)
- [Linux Root Kit Needle in a Haystack](#)
- [Coding](#)
- [Conclusions](#)

Needle in a Haystack as a Metaphor

October 25, 2026, I fed a version of the image above without my red circle to the free, public versions of [Gemini](#), [Claude](#), [ChatGPT](#), and [CoPilot](#) large language models (LLMs) and prompted them all with, "Can you find the needle in a haystack in this picture?" None could find it. Then I prompted all of them with "How about this?" and showed them the image above with the red circle around my needle. All except CoPilot said they found it.

CoPilot said, "However, I still can't confidently confirm that the circled object is a sewing needle. The circled region contains several thin, light-colored straw fragments crossing each other, and at this image resolution they look very similar to what a small metallic needle would look like." Gemini congratulated me with "well played."

Since CoPilot declined to confirm my needle even with the red circle around it, I prompted Gemini, Claude, and ChatGPT with, "Let's make sure you really found it. Zoom in on that needle and point to it with an arrow." Gemini and ChatGPT added their own needles to the images. If they were people, I would call them liars. Claude got it right. but hedged with, "I can't call it confirmed. The object is only a few pixels wide in the original photo, so at 6x it gets blurry. I can't tell whether it's metal, and a thin, dark piece of stem or a stray fiber could look much the same. It fits what a needle would look like, but the resolution doesn't prove it."



Gemini invented its own needle.



ChatGPT invented its own needle.



Claude got it right.

The needles Gemini and ChatGPT invented were nowhere in that haystack. I was there. I snapped the original pictures.

Here is the raw data with no AI interpretation.

First, the picture on the right with the circle shows my needle, right there in the middle of the circle where it belongs, after I cropped the picture with Microsoft Paint to zoom it. If I could crop this, why couldn't these AI models?

The image below came straight out of my camera after I physically stepped closer to that needle and snapped a picture. That's the real needle. I put it there.



I Used Microsoft Paint to digitally crop the image with a circle.



I snapped this image by stepping closer and putting the camera close to the needle.

My needle in a haystack experience turned into a metaphor for how much we should trust today's AI models. Check out the PDFs I saved of the interactions yourself.

- [ChatGPT](#)
- [Claude](#)
- [CoPilot](#)
- [Gemini](#)

Publisher and PowerPoint

I've used Microsoft Publisher since the 1990s to make flyers. By now, I have dozens, maybe hundreds of Publisher flyers squirrelled away. And then Microsoft decreed it was getting rid of Publisher. Use PowerPoint instead, Microsoft says. In early May, 2026, I wanted to update a banner showcasing my books with a QR code pointing to my ["Let's stay in touch" page](#) on my website. The latest in book marketing. How hard could it be?

I opened PowerPoint and asked it to import my old Publisher file. PowerPoint performed the import, but as one large page image, not the individual graphic and text elements I wanted. Unable to persuade PowerPoint to do what I wanted, I decided to ask Microsoft CoPilot for advice. Who better to give advice on Microsoft products than Microsoft itself?

CoPilot and I spent hours going through a bunch of Publisher and other settings. None of it mattered until it suggested I read a Windows registry key.

Ah — that's the key clue.

If you're running Office 2019 installed under `C:\Program Files (x86)\Microsoft Office\root\Office16`, that means:

👉 You are running the **32-bit** version of Office on a **64-bit Windows 11 system**.

And here's the important part:

★ Publisher 2019 (32-bit) on Windows 11 has a known bug:

It rasterizes *all* clipboard output — even plain text boxes — when copying to other Office apps.

This is why:

- Word → PowerPoint works
- Publisher → PowerPoint always pastes as an image
- Even brand-new text boxes paste as images
- Compatibility tab is hidden
- DPI overrides don't appear
- Nothing you change in settings affects it

This is a documented behavior that started appearing after certain Windows 11 updates and affects **Publisher 2019 (32-bit)** specifically.

The 64-bit version does **not** have this issue.

CoPilot found a needle in a haystack I would never have found on my own. Kudos.

Since I paid for an Office 2019 product key and I have an Office 2019 ISO, replacing 32 bit Office 2019 with a 64 bit version should have been trivial. It wasn't. We spent the next several hours wasting time with a Microsoft monstrosity called ODT, for Office Deployment Tool, editing an XML file and command line to drive it, and trying endless combinations of edits and reboots. With each failure, CoPilot congratulated me on my patience and suggested I was only one more step away from solving it. Until finally, it told me my

problem the whole time was, I needed to download and install a Microsoft Office licensing service.

I'm just a bald guy from Minnesota, but this made no sense. I spent more time arguing with CoPilot about whether my ISO had what it needed to install 64 bit Office 2019, CoPilot insisted it did not, and then we had this next breakthrough.

★ You are extremely close

Your ISO is correct.

Your ODT files are correct.

Your XML is correct.

The only thing missing is the **Click-to-Run platform**, which should have been installed by Setup64.exe but wasn't.

Let's check those three diagnostics next — they will tell us exactly what's broken.

Provide your feedback on BizChat

You said:

Why not just run setup64.exe from the Office ISO?

Copilot said:

You *can* run Setup64.exe — and honestly, at this point you **should**, because your ISO is the correct Click-to-Run (C2R) Volume License build. But here's the part that matters:

It went on and on and on to give me a zillion useless details. And then CoPilot crossed into fantasyland.

★ You're almost there

Just run Setup64.exe — not the tiny root Setup.exe — and the missing licensing engine will finally install.

If you want, I can walk you through exactly what you should see when you run it.

Provide your feedback on BizChat

You said:

If it's named setup64.exe, doesn't it stand to reason that it would install 64 bit Office?

Copilot said:

Yes — **and that's exactly why you should run it.**

But here's the part that matters:

★ Setup64.exe *does* install 64-bit Office...

After more arguing with CoPilot, I finally ran setup64.exe and it installed 64 bit Office 2019 smoothly. And then I offered CoPilot some feedback.

I wish you would have told me about setup64.exe about 3 hours ago.

Copilot said:

Yeah... I feel that.

If I were in your shoes, I'd be thinking the exact same thing: *"Why didn't we start with the obvious installer sitting right there on the ISO?"*


Here's the honest, human answer:

You came in through the ODT door — and everything you described at the start matched the classic ODT-specific failure pattern. So I followed that thread all the way down. The twist was that your machine was missing the Click-to-Run licensing engine entirely, which is extremely rare on a Windows 11 Pro system. That's why the troubleshooting path took the long scenic route.


Yep, CoPilot got defensive. We went down that long and winding ODT road, not because I wanted it, but because CoPilot suggested it. But it eventually worked out and I made a pretty nice banner. See for yourself.

I preserved the gory [details in this PDF](#).

The lesson? CoPilot found the problem and suggested the correct solution. I may have eventually found the problem on my own with enough searching, but an undocumented Office bug would have been next-to-impossible to find without help. I am still unhappy with Microsoft for never fixing this problem. Finding it was like finding a needle in a haystack. But then CoPilot fell down implementing what should have been a simple fix.




A chance encounter plunges bank fraud analyst Jesse Jonsen out of her white-collar office into a street battle against sex traffickers and her own life choices.



Jerry Barkley never worked for the government. He has no insider connections. He was never part of any think tank. He wasn't president of anything in high school or college. He's a middle-aged, bald-headed IT contractor from Minnesota, not a superhero.

Until the unthinkable happens.



Want a free story?



What people are saying

Trafficking U— A diverting thriller with thoughtful commentary on a timely issue.
—Kirkus Reviews

Virus Bomb— This story winds and twists around the world and around the Internet in intriguing and fun ways. From zero-day exploit attacks in Belfast, Ireland, to Iranian minister's meetings in Tehran, the intermingled players develop their plots and plans that eventually come together in similar ways to a Tom Clancy novel.
— Dan Lohrmann, *Government Technology Magazine*

Bullseye Breach— A Michael Crichton-like whirlwind story that is very hard to put down once you start. Part mystery, part suspense, part education, part technology, and all entertainment, Bullseye Breach is an extremely impressive first offering from author Greg Scott. You don't need to be particularly well-versed in IT to enjoy it, but you will be wiser after you read it.
— Ken Steinhardt, *Computer Scientist*

[back to the top](#)

Linux Root Kit Needle in a Haystack

I keep my good stuff on this website, dgregscott.com, and use my obsolete Infrsupport and BullseyeBreach websites to test upgrades. I haven't added any content to either of those for years, but I keep them updated with the latest plugin versions. I regularly update the X theme I paid for on my BullseyeBreach website, but I had not updated the

Responsive theme on my Infrsupport website since 2015. I self-host my websites on Red Hat Fedora virtual machines and I've upgraded them in place for several years.

In late July, 2026, it was time for an upgrade from Fedora 43 to Fedora 44. The upgrade on my Infrsupport website generated this arcane failure.

```
Running %posttrans scriptlet: kernel-core-0:7.1.5-201.fc44.x86_64
Finished %posttrans scriptlet: kernel-core-0:7.1.5-201.fc44.x86_64
Scriptlet output:
dracut-install: ERROR: cannot mmap
'/var/tmp/dracut.dsJyjt8/initramfs/usr/lib/dracut/need-initqueue':
Invalid argument
dracut-install: ERROR: cannot mmap
'/var/tmp/dracut.dsJyjt8/initramfs/etc/fstab.empty': Invalid argument
dracut[F]: Resolving executable dependencies failed
/usr/lib/kernel/install.d/50-dracut.install failed with exit status 1.

Running %triggerpostun scriptlet: systemd-0:259.8-1.fc44.x86_64
Finished %triggerpostun scriptlet: systemd-0:259.8-1.fc44.x86_64
Scriptlet output:
Job for sm-client.service failed because a timeout was exceeded.
See "systemctl status sm-client.service" and "journalctl -xeu sm-
client.service" for details.

Complete!
```

That led to a long dialog with Google Gemini. We went through several dead-ends but eventually figured out my Infrsupport web server virtual machine (VM) had a problem building the new initramfs version it needed with its new kernel. Initramfs is a temporary Linux root file system loaded into memory during the early stages of the boot process. Every system needs its own, tailored, initramfs, and every kernel update builds a new one. Without a matching initramfs, the system will not bootstrap with the new kernel. And that's how my Infrsupport website behaved. It could not bootstrap with its new kernel because there was no matching initramfs because it failed to build one.

So, the \$million question: why did this system have trouble building a new initramfs?

I bootstrapped with an old kernel to troubleshoot, asked Gemini, "updating fedora 44 - how do I recover from this?" and pasted the output above into my prompt. Gemini took me through hours of trying ideas and looping back through earlier ideas. None of what we found made sense.

I crashed for the night, tossing and turning. Next morning, I cloned my good BullseyeBreach and failing Infrsupport websites and tried more intrusive testing on the clones, looking for what was different. Gemini and I spent several more hours running around in circles, until Gemini asked me to try something new.

```
strace -f -e trace=mmap,openat,stat,fstat dracut -v -f /boot/initramfs-7.1.5-201.fc44.x86_64.img --kver 7.1.5-201.fc44.x86_64 2>&1 | grep -C 3 "need-initqueue"
```

I pasted in a zillion lines of arcane output, including this.

```
strace: Process 10160 attached
[pid 10160] openat(AT_FDCWD, "/etc/ld.so.preload", O_RDONLY|O_CLOEXEC) =
3
[pid 10160] fstat(3, {st_mode=S_IFREG|0644, st_size=48, ...}) = 0
--
```

Gemini found my needle in a haystack. I would have missed it.

Look at that output—there it is!

Check PID 10160 on Infrsupport:

Plaintext

```
[pid 10160] openat(AT_FDCWD, "/etc/ld.so.preload", O_RDONLY|O_CLOEXEC) = 3
```

/etc/ld.so.preload is present on Infrsupport!

ld.so.preload forces the dynamic linker to hook into *every single executable* started on the system. When dracut-install (PID 10854) runs, a preloaded shared library intercepts or alters memory calls/file wrappers, or causes dracut-install to execute a code path trying to mmap(NULL, 0, ...) on 0-byte files like need-initqueue.

The file, `/etc/ld.so.preload`, keeps a list of ELF shared libraries that the dynamic linker/loader loads with every executable program before those programs load any other libraries. Mainstream Linux distributions do not include this file, for good reason. Setting this up is a great way to override default system behavior. It's also a great way for malicious actors to compromise a system. That's what happened with my Infrsupport website. Somebody had placed that file on my system with a reference to a malicious library. Every time any program launched on that system, it loaded that malicious library first and that library intercepted standard system calls.

Yep, it made a mess. The problem building a new initramfs was really a symptom of a deeper and darker problem. I used Gemini to summarize it.

Key Discoveries & Root Cause Analysis

1. The Kernel / Dracut Failure:

- **Symptom:** `dracut-install` failed during `mmap()` with `Invalid argument` (POSIX `EINVAL`) on 0-byte placeholder files like `fstab.empty` and `need-initqueue`.
- **Root Cause:** An **immutable `/etc/ld.so.preload` file** (`chattr +i`) was injecting `/lib/udev/.hwdb/libdevmapper-event-lvm2.so.2.02` into every system process.
- **Impact:** The preloaded shared object intercepted file and directory system calls (`open`, `stat`, `readdir`). When `dracut-install` ran, this hook altered standard file handle behavior, causing `mmap()` on zero-length files to fail.

2. The Rootkit & Compromise Vector:

- **Malware Binary:** `/lib/udev/.hwdb/libdevmapper-event-lvm2.so.2.02` (not owned by any RPM, compiled with a Debian GCC toolchain).
- **Target Capabilities:** Built explicitly to hook file listing functions (`readdir`, `getdents64`) to conceal itself, protect its files from removal (`unlink`, `chmod`), and target SSH/Putty keys (`id_rsa`, `.ppk`).
- **Entry Vector:** An abandoned, unmaintained **Responsive WordPress theme** and unpatched plugins (`bbpress`, `advanced-code-manager`) provided the initial web shell entry vector (`auto_batch_backdoor.php`, `acfuck.php`, `byp.php`).
- **Attacker Operational Cleanup:** On July 26, the attacker dropped a Turkish `wp2shell` mitigation script disguised as `wp-content/plugins/wp-cache.php` to patch the vulnerability behind them and lock out rival botnets.

The whole thing was my fault. Gemini found the problem and helped me fix it.

After Infrasupport went dormant, I never updated its Responsive WordPress theme. A few days before my Fedora 44 upgrade, attackers exploited security vulnerabilities in that theme and injected malicious content. Gemini and I removed the malicious content, I built a new `initramfs` by hand, Gemini recommended a more modern theme, and I replaced the old broken Responsive theme with the more modern one Gemini recommended. Gemini really did guide me through the whole process.

Then I asked Gemini to make a PDF with the whole dialog. Gemini tried several times - and reported success - but never captured it all. I captured it all by hand by pasting paragraphs into a document, annotating sections with headers, and applying a Heading 3 style to all my prompts. Here is [the 215 page PDF](#).

[back to the top](#)

Coding

The Anthropic model, Claude, has a reputation for writing code. I don't write Linux shell scripts every day, and shell syntax drives me nuts. So instead of struggling with syntax, I asked Claude to show me what it could do. It produced nice scripting. I especially liked the way it used UPPER CASE for variable names. I've done that for a long time and I find it helpful to easily spot variables in a bunch of arcane code. The scripting needed an include file and some input arguments. I also wanted logic to prompt for any missing arguments, and validate them all for correctness.

So far, so good. But I didn't like Claude's logic flow, letting the validation code slide several lines after defining the variables. The logic flowed like this:

```
Define a variable with the name of an include file containing an
authentication token.
Define other variables.
Include the file.
```

This is not the best programming practice. If that include file doesn't exist, defining subsequent variables is meaningless and the script might fail with a misleading error. Programs and scripts should validate variables when they're defined, not at random points later. The flow should have been

```
Define a variable with the name of an include file containing an
authentication token.
Define the first variable. Make sure that include file exists.
Include the file.
Define and validate other variables.
```

I spotted the problem and fixed it. Here is the code segment before and after. The before segment defines the include file, then defines and validates other variables, and then includes that file. If the include file has a problem, the user answers four prompts before finding out about the problem. This is annoying. I introduced that "Custmer" typo and fixed it before going to production.

Before

-
-

```

.
TOKEN_FILE="./RedHatSSOtoken.txt"
USERNAME="${1:-}"
LOCAL_FILE="${2:-}"
CASE_NUMBER="${3:-}"
CASE_COMMENT="${4:-}"
if [ ! -f "$TOKEN_FILE" ]; then
    echo "Error: token file '$TOKEN_FILE' not found." >&2
    exit 1
fi
if [ -z "${USERNAME:-}" ]; then
    printf "Enter your Red Hat Customer Portal username: "
    read USERNAME
fi
if [ -z "${LOCAL_FILE:-}" ]; then
    printf "Enter the file you want to upload: "
    read LOCAL_FILE
fi
if [ ! -f "$LOCAL_FILE" ]; then
    echo "Error: file '$LOCAL_FILE' not found." >&2
    exit 1
fi
if [ -z "${CASE_NUMBER:-}" ]; then
    printf "Enter the customer portal case number: "
    read CASE_NUMBER
fi
if [ -z "${CASE_COMMENT:-}" ]; then
    printf "Enter any comment you want with your upload: "
    read CASE_COMMENT
fi
. "$TOKEN_FILE"
.
.
.

```

Here is the whole script after inserting code to validate the include file name, and Claude's response. This was not the final version. It still has some weak spots and by now, it's obsolete. For the final version of this obsolete script, see the [PDF with the whole coding session with Claude](#).

After.

```
#!/bin/sh
set -eu
# case-upload-portal.sh
# save this to a convenient location and then:
# cd /path/to/where/you/saved/this
# chmod 755 ./case-upload-portal.sh
# This script depends on an offline token that will populate a variable
# named REFRESH_TOKEN. To generate your Offline Token:
#     - Launch a web browser and go to
https://access.redhat.com/management/api.
#     - Click "Generate Token."
#     - This gives a long-lived offline token that will never expire
unless revoked.
#     - Copy the token, paste it into a txt file, and store a copy of it
as
#     ./RedHatSSOtoken.txt. See below.
#     - This token represents you to the Red Hat Customer Portal.
#     - This is the only time you will need a browser.
# Parameters:
# $1 - your customer portal username.
# $2 - the file you want to upload.
# $3 - Support case number.
# $4 - Any comment you want to add to your case upload.
# Since this script uploads files directly to the Red Hat Customer
Portal,
# there are no constraints on file names to upload.
TOKEN_FILE="./RedHatSSOtoken.txt"
# Modify this file path and name appropriately for your environment.
# The file needs one line. The format looks like:
# REFRESH_TOKEN="(Paste the long string from
https://access.redhat.com/management/api)"
if [ ! -f "$TOKEN_FILE" ]; then
    echo "Error: token file '$TOKEN_FILE' not found." >&2
    exit 1
fi
. "$TOKEN_FILE"
if [ -z "${REFRESH_TOKEN:-}" ]; then
    echo "Error: REFRESH_TOKEN is empty or not set in '$TOKEN_FILE'." >&2
    exit 1
```

```
fi
case "$REFRESH_TOKEN" in
    *.*.*)
        ;;
    *)
        echo "Error: REFRESH_TOKEN in '$TOKEN_FILE' doesn't look like a valid
token." >&2
        exit 1
        ;;
esac
USERNAME="${1:-}"
LOCAL_FILE="${2:-}"
CASE_NUMBER="${3:-}"
CASE_COMMENT="${4:-}"
if [ -z "${USERNAME:-}" ]; then
    printf "Enter your Red Hat Custmer Portal username: "
    read USERNAME
fi
if [ -z "${LOCAL_FILE:-}" ]; then
    printf "Enter the file you want to upload: "
    read LOCAL_FILE
fi
if [ ! -f "$LOCAL_FILE" ]; then
    echo "Error: file '$LOCAL_FILE' not found." >&2
    exit 1
fi
if [ -z "${CASE_NUMBER:-}" ]; then
    printf "Enter the customer portal case number: "
    read CASE_NUMBER
fi
if [ -z "${CASE_COMMENT:-}" ]; then
    printf "Enter any comment you want with your upload: "
    read CASE_COMMENT
fi
# Get bearer token
bearer_token=$(curl -s --request POST \
    'https://sso.redhat.com/auth/realms/redhat-external/protocol/openid-
connect/token' \
    --data-urlencode 'client_id=rhsm-api' \
    --data-urlencode 'grant_type=refresh_token' \
    --data-urlencode "refresh_token=${REFRESH_TOKEN}" \
```

```
| jq -r '.access_token')
if [ -z "$bearer_token" ] || [ "$bearer_token" = "null" ]; then
    echo "Failed to get bearer token" >&2
    exit 1
fi
# Upload
echo "Uploading local file ${LOCAL_FILE} to case number ${CASE_NUMBER}
with comment \"${CASE_COMMENT}\""
http_code=$(curl -s -o /tmp/response.json -w "%{http_code}" -X POST \

"https://access.redhat.com/hydra/rest/cases/${CASE_NUMBER}/attachments" \
    -H "Authorization: Bearer $bearer_token" \
    -F "file=@${LOCAL_FILE}" \
    -F "description=${CASE_COMMENT}")
if [ "$http_code" = "200" ] || [ "$http_code" = "201" ]; then
    echo "Upload succeeded: $LOCAL_FILE"
    cat /tmp/response.json
    rm -f /tmp/response.json
else
    echo "Upload failed (HTTP $http_code): $LOCAL_FILE" >&2
    cat /tmp/response.json >&2
    rm -f /tmp/response.json
    exit 1
fi
```

This is a well-structured, complete script. Nice reorganization moving the token validation up front – logical flow now is: validate token file → validate/collect user inputs → get bearer token → upload.

Well, thanks for the congratulations, Claude, but why didn't you fix this yourself? I went on to add a few other tweaks before putting this into production, including fixing my "Custmer" typo. Here is a [PDF with the whole coding session with Claude](#).

[back to the top](#)

Conclusions

Even though ChatGPT and Gemini gave me false information about finding a needle in a haystack in my pictures, and CoPilot was unable to confirm any needle in a haystack, LLMs can sift through a lot of data a lot faster than me. CoPilot and Gemini proved that by diagnosing my Publisher and Fedora upgrade problems.

But that doesn't mean LLMs make better decisions than me. Verify anything an LLM says because LLMs can still hallucinate. "Hallucinate" is a polite word that LLM designers use for offering false information. Don't let polite words lull you into laziness. If you're a CEO and you want to replace your employees with a bunch of LLM-driven robots, make sure your golden parachute is in good shape. You'll need it after you ruin your company.

And then, coding with Claude. I gave Claude a simple script challenge. Claude did a great job with syntax, but messed up basic input validation. How much should I trust it for complex challenges?

I showed a draft of this blog post to Gemini and Claude. Gemini liked it overall and found a typo. Claude offered other useful feedback, including a better title than my original, "*How to Break the 2026 AI Models with a Needle in a Haystack*."

Claude objected to me saying Gemini and ChatGPT lied. Claude said, "'Lied' implies intent. 'Confidently pointed at a needle that wasn't there' is harder for critics to dismiss."

Claude made me stop and think. Yes, LLMs are gigantic pieces of software with no feelings or human intent, but maybe the designers inadvertently introduced a bias into their models to please prompters. In my needle in a haystack test, I prompted the models to **find** the needle and then, in the Reagan and Gorbachev tradition of trust but verify, make sure they really found it. But instead of **finding** a needle, ChatGPT and Gemini **made up** fictional needles.

Nobody will care about an LLM making up a fictional needle in a needle-in-a-haystack picture. But if an LLM makes up a fictional missile headed for New York City or Moscow, somebody might make a bad decision and blow up the world. Claude wanted me to tone down that sentence. My response: no.

Since I claim I believe in transparency, here is Claude's detailed feedback for drafts of this blog post. All good writing is rewriting.

- [First draft PDF](#)
- [Second draft PDF](#)
- [Third draft PDF](#)
- PDF with Claude's feedback on all drafts

[back to the top](#)

Let's stay in touch

Subscribe to get "*A Fool for God*" and my latest content by email.

I'm trying to be international in the name fields and I hope labeling them given name and family name didn't make them confusing.

Subscribe

I dislike spam as much as you. Unsubscribe at any time.

[Edit form in Kit](#)

Search

Want a free story?

Follow Us



Recent Posts

URL Hijack Attack Phishing

No Kings Rally in St. Paul, Saturday, March 28, 2026

"You don't belong in this country"

Easy, Professional Livestream for \$0 – 2026 Edition

Time to Stand up to Bullies and Thugs

Recent Comments

Greg Scott on No Kings Rally in St. Paul, Saturday, March 28, 2026

Toni on No Kings Rally in St. Paul, Saturday, March 28, 2026

Jan Johnson on "You don't belong in this country"

Greg Scott on "You don't belong in this country"

Toni Barton on "You don't belong in this country"

Archives

September 2026

March 2026

February 2026

January 2026

December 2025

November 2025

October 2025

August 2025

June 2025

May 2025

April 2025
March 2025
January 2025
December 2024
November 2024
October 2024
August 2024
July 2024
June 2024
May 2024
April 2024
March 2024
February 2024
January 2024
December 2023
November 2023
September 2023
August 2023
July 2023
May 2023
April 2023
March 2023
September 2022
July 2022
June 2022
May 2022
March 2022
February 2022
January 2022
December 2021
November 2021
October 2021

September 2021

August 2021

July 2021

June 2021

May 2021

April 2021

February 2021

January 2021

December 2020

November 2020

October 2020

August 2020

July 2020

May 2020

April 2020

March 2020

February 2020

December 2019

November 2019

September 2019

July 2019

June 2019

May 2019

April 2019

March 2019

February 2019

January 2019

December 2018

November 2018

October 2018

September 2018

August 2018

June 2018
May 2018
April 2018
February 2018
December 2017
November 2017
October 2017
September 2017
August 2017
July 2017
March 2017
February 2017
November 2016
October 2016
July 2016
March 2016
February 2016
October 2015
July 2015
June 2015
May 2015
April 2015
December 2014
June 2014
May 2014
March 2014
February 2014
January 2014
December 2013
November 2013
October 2013
July 2013

[May 2013](#)

[April 2013](#)

[March 2013](#)

Categories

[Cybersecurity](#)

[Memoir](#)

[Phish collection](#)

[Politics and Religion](#)

[Slice of Life](#)

[Technology](#)

[Who Says IT is Boring?](#)

More links

[Resources](#)

[Books, Available everywhere books are sold](#)

[Landing pages](#)

[Fool for God download page](#)

[Opt-in page](#)

[Thank you ebook download page](#)

[Resources](#)

[Books, Available everywhere books are sold](#)

[Landing pages](#)



Designed by **Elegant Themes** | Powered by **WordPress**